Homework #8 Due Th. 11/29

Note:

OW	Oppenheim and Wilsky
\mathbf{SSS}	Schaum's Signals and Systems
SPR	Schaum's Probability, Random Variables, and Random Processes

Be sure to show all your work for credit.

1. (SPR 4.87)

Let Y = 2X + 3. Find the pdf of Y if X is a uniform r.v. over (-1, 2).

2. (SPR 4.92)

Let X denote the number of heads obtained when three independent tossings of a fair coin are made. Let $Y = X^2$. Find E[Y] and Var(Y).

3. (SPR 5.84)

Consider a random process X(t) defined by

$$X(t) = Y\cos(\omega t + \Theta)$$

where Y and Θ are independent r.v.'s and are uniformly distributed over (-A, A) and $(-\pi, \pi)$ respectively.

- (a) Find the mean of X(t).
- (b) Find the autocorrelation function $R_X(t,s)$ of X(t).

Hint: Be sure to look at Problem 5.20 to help on these problems.

4. (SPR 5.85)

Suppose that a random process X(t) is wide-sense stationary with autocorrelation

$$R_X(t,t+\tau) = e^{-|\tau|/2}.$$

- (a) Find the second moment of the r.v. X(5).
- (b) Find the second moment of the r.v. X(5) X(3).
- 5. (SPR 5.87)

Consider the random processes

$$X(t) = A_0 \cos(\omega_0 t + \Theta) \qquad \qquad Y(t) = A_1 \cos(\omega_1 t + \Phi)$$

where $A_0, A_1, \omega_0, \omega_1$ are constants and r.v.'s Θ and Φ are independent and uniformly distributed over $(-\pi, \pi)$.

- (a) Find the cross-correlation function $R_{XY}(t, t + \tau)$ of X(t) and Y(t).
- (b) Repeat (a) if $\Theta = \Phi$.